

2191 Mowry Ave. Suite 500-H Fremont, California 94538

(Located across the street from Washington Hospital)

TEL: 510.792.9700 | FAX: 510.792.9701

Open Evenings & Saturdays (Upon Request)

PATIENT INFO	PHYSICIAN INFO			INSURANCE
PT. NAME: LAST FIRST	DR. NAME:	DR. SIGN:		
PT. DOB:	DR. TEL:	ORDER DATE:		
PT. TEL:	DR. FAX:			
NUCLEAR MEDICINE	PET-CT & CT (64 S	ice)	MRI /	/ US / XR
1. BONE SCAN A. Whole Body B. Three-Phase C. SPECT	11. BRAIN PET-CT		17. MRI	3-TESLA
<ul> <li>□ Metastatic Disease □ Prosthethic Loosening</li> <li>□ Arthritis □ RSD □ Plantar Fascitis □ Stress I</li> <li>□ Diabetic Foot □ Osteomyelitis vs Cellulitis</li> <li>2. BRAIN SPECT</li> <li>□ Dementia/ Stroke □ DAT Scan for Parkinson</li> </ul>	Alzheimer's Disease Vs Fronto lemp  Short term Memory loss > 6 mos  MMSE Score □ TSH _ □ Head CT* or MRI* □ B-12 _	oral Dementia <b>Pls Provide:</b>	A. HEAD/NECK  MRI Brain MRA Brain MRA Neck/Carotid  TIA/Stroke protocol Includes all 3 above	Contrast
3. CARDIAC STRESS TEST	☐ Identify Alzhiemer's B-Amyloid P	laque buruen	B. BODY	Contrast □ W/o □ W+W/o □ Enterography
Thallium / Technetium SPECT ☐ Pharma ☐ T☐ Chest Pain ☐ CAD/ Stent/CABG ☐ Pre-op I☐ Chest Pain ☐ CAD/ Stent/CABG ☐ Pre-op I☐ CAD/ Stent/CABG ☐ CAD/ Stent/CABC ☐ CAD/ Sten				☐ Chest/ Mediastinum ☐ Brachial Plexus ☐ Breast o Left o Right
☐ Dyspnea on Exertion ☐ Abn. Resting EKG	☐ Head CT or MRI/MRA, TCD, Amyloid	PET, FDG Brain	C. SPINE □ Cervical □ Thoracic □ Lumbar	
<b>4. INFECTIONS Gallium Scan</b> □ Infection	13. CARDIAC PET-CT		D. JOINTS	Contrast □ W/o □ W+W/o
5. LIVER AND GALL BLADDER  A. HIDA (Hepato-Biliary) w/G.B. Ejection Fraction  □ RUQ Pain □ Gall Stones / Cholelithiasis  B. Liver-Spleen Scan □ Cirrhosis □ Mass  C. RBC Blood Pool Study □ Hemangioma  6. MUGA SCAN (For Accurate L.V.E.F.)  □ CHF □ Difficult Echo □ Pre & Post-Chemo LVEF	<ul> <li>□ Abn. Resting EKG □ Inconclusiv</li> <li>B. FDG Viability PET</li> <li>□ Infarct Vs Hibernating Myo. Vs So</li> <li>14. ONCOLOGY PET-CT</li> </ul>	re-op Eval. e SPECT  ft tissue atten.	□ Shoulder □ Hip □ Knee □ Wrist □ Ankle □ Hand □ Foot □ Other □ W-W/o  ■ MRA Brain □ MRA Renal Arteries □ Runoff Abdomen/Pelvis □ Runoff Lower Extremity	
7. RENAL / KIDNEY  A. Renal Scan w/ Flow □ Differential Kidney Fu	Please complete CT order (in Sect	ion 15)	18. DOPPLER (Vascular)	
B. W / Captopril □ Renal Artery Stenosis - HT  8. STOMACH - ESOPHAGUS  A. Gastric Emptying □ Diabetes □ Dyspepsia	N ☐ Bone Mets ☐ Colorectal ☐ Gas ☐ Head-Neck/Thyroid Ca. ☐ Live ☐ Lung /Pulm. Nodule ☐ Pro	r/Pancreatic Ca.	A. Carotid Arteries  Neck bruit TIA Syncope Prior CVA  B. Transcranial Doppler (TCD)	
9. THYROID SCANS	☐ Ovarian/Cervix/Uterus ☐ Me	anoma	☐ Dizziness ☐ TIA	☐ Syncope ☐ Prior CVA
A. THYROID CANCER  □ I-131 Whole Body Scan □ I-123 Whole Body Scan □ Thyrogen Injection I.M. □ WB FDG PET-CT Sc □ Post I-131 Rx Body Scan □ I-131 Thyroid The	15. CT SCANS  If ordering PET, please incude CT or  an  rapy mGi Patients >60 yrs need BUN, Creatin	der as needed.	D. Lower Extremity –  □ Claudication □ Nu  E. Lower Extremity –	AA □ Bruit □ >70 Yrs <b>– Arterial w/ ABI</b> Numbness □ PVD/PAD
B. HYPERTHYROIDISM  Thy. Uptake & Scan   I-131 Thyroid Rx		gh Res. CT	19. ECHOCARDIOGRAPHY No Stress Echo	
10. PARATHYROID  □ Adenoma □ ↑PTH □ ↑Ca++	☐ Chest ☐ Abdomen ☐ Pe	Spine	Resting 2D Echo □ LVH □ CHF □ Valve Dx □ Hypertension □ Cardiomyopathy	
	☐ CTA Runoff Ab/Pelvis ☐T-Spine ☐ CTA Runoff Low Extermity ☐L-Spine		20. ULTRASOUND	
NOTES	A. Joint Injections: Arthrogram Hip Shoulder Knee Ot	Therapeutic Inj.	☐ Abdomen - O Limited O Complete ☐ Pelvis - O Limited O Complete ☐ Other Reason	
140110	B. Varicose Veins' Ablation:		21. X-RAY	
Printed Apr 2019 24 Hr Cancellation Poquires	□ Right leg □ Left Leg □ Both le  C. Epidural Spinal Injections (Need < □ Low back Pain □ Sciatica □ Spin	6 mo old MRI) nal stenosis	☐ Chest - O AP O Lat ☐ Spine ☐ Shoulder ☐ Hips ☐ Knees ☐ Ankle☐ Other ☐ Other	

# **CHECKLIST / GENERAL INSTRUCTIONS**

- Bring your ID and health insurance cards.
- · Wear warm and comfortable clothing.
- · Arrive 15 minutes before your appointment.
- · Bring ALL medicines with you.
- · If diabetic, bring insulin with you.

If you are a diabetic on insulin, ask for afternoon appointment. Bring insulin along. If you have special requirements such as children, transportation, a time constraint, upcoming doctor's appointment, large wheel chair, stroke or difficult venous access, please notify us before.

DUE TO TIME SENSITIVE MEDICINES 24 HOUR NOTICE REQUIRED FOR ALL CANCELLATIONS OR RESCHEDULING REQUESTS. PLEASE SEE GRAY BOX ON BOTTOM.

## CARDIAC STRESS TEST / THALLIUM / RUBIDIUM SCANS

- · Do not eat or drink at least 4 hours prior to scan.
- No caffeine 24 hours before scan. No soda, no coffee, no tea, no chocolate.
- You will lie with arms above your head on the scanning table for 15 minutes each time for the two studies.
- · Images may be repeated if they are not satisfactory.
- You may be asked to have food either before or after the first images, so
  please bring a snack or a meal with you.
- Do not take Beta blockers such as Atenolol, Propranolol, Metopro, Inderal, lol, etc. 24 hours before.
- · Please bring all your medications and inhalers with you.
- If you are a male patient, your chest may be shaved at some places to put the EKG leads on.
- Wear warm and loose clothes and tennis shoes for the treadmill exercise test. If you are not able to exercise on the treadmill, you will be given a chemical stress test.
- An informed consent for the procedure will be obtained. Usual time to complete test: 2 - 3 hours.


## PET-CT PATIENT PREPARATION

- Nothing by mouth (NPO) except water for 6 hours prior to your appointment.
- Patient CAN drink water that morning.
- · Take all necessary medicines only with water.
- Low carbohydrate diet during prior night's meal.
- Refrain from exercise for 24-48 hours prior to test.
- If you are diabetic, and on insulin, ask for an afternoon appointment.
   (to have early breakfast)
- · Bring insulin and all medicines to the clinic.
- · Please inform us if you are claustrophobic. Bring a ride/driver along.
- Although the actual scan time is typically 20 minutes, expect to spend approximately 2 to 3 hours at our facility for your PET-CT scan.
- · Wear warm clothers, since the scanner room is cold.

## **CT SCAN PREPARATION**

- · Special preparation is NOT required for most CT Scans.
- Wear comfortable and loose-fitting two-piece clothing for your exam.
- Remove metallic clothing or jewelry that may interfere with X-Rays (no belts, earrings, underwire bras, dentures, hairpins, etc.)
- You may be asked to change into a gown.
- For IV contrast for CT, we need renal function tests if you are >65 years of age or have kidney disease or recent infection or hospitalizations.
- For oral contrast, you'll receive detailed instructions at the time of your appointment. Exams of the abdomen and pelvis may require an oral contrast agent as a drink which is given1-2 hours prior to your scan.
- For abdomen and/or pelvis CT scan, refrain from eating after midnight before the exam. Fluids in moderation are encouraged before the exam.
- Take plenty of fluids after a contrast exam
- Discontinue oral diabetic medication such as Metformin 24 hours before and 48 hours after contrast.
- Continue to take all medication ordered by your doctor.

www.svmedicalimaging.com



# **DIRECTIONS TO OUR FACILITY:**

## PUBLIC TRANSPORTATION

#### From San Francisco Metro Embarcadero Station

Depart Embarcadero BART - (44 mins) Arrive at Fremont BART (about a 5 minute to facility)

#### From Downtown San Jose, 1st St. & Mission

Take 180 Bus to Fremont BART at San Jose Diridon Stn. Direction: 180 NB Express Fremont BART Arrive at Fremont BART (about a 5 minute walk)

## DRIVING

**From Oakland -** Take I-880 Southbound Exit Mowry Ave exit, Make left at Mowry Ave. Go about 1.5 miles, facility on your left.

**From San Jose -** Take I-880 Northbound Take the Mowry Ave exit, Slight right at Mowry Ave. Go about 1.5 miles, on your left.

Arrive at:

2191 Mowry Ave. Suite 500-H, Fremont, CA

## MRI PREPARATION

- Inform us if you have a pacemaker, heart valve, aneurysm clip or cochlear implant. Inform us if you've had brain, heart, eye, or ear surgery. Inform us if you have any metallic objects or implants.
- In preparation for your MRI you may be asked to remove make-up and dentures depending on the study. You may also be asked to wear a hospital gown to avoid magnetic interference from buckles, zippers etc.
- Continue to take medication prescribed by your doctor unless directed.
- If you are having a MRI of the abdomen you will be asked not to eat or drink 4 hours prior to the exam.
- Fluids in moderation are encouraged before the exam.
- If you have a history of kidney disease or kidney failure and your exam is scheduled with contrast, please notify us so a technologist can determine whether contrast should be used.
- Once you are situated on the table, make sure you are comfortable so
  that it is easy to keep still. Breathe normally. There is nothing about the
  procedure to make you uncomfortable. Once the exam is over, the
  technologist will assist you out of the scan room.

## ULTRASOUND PATIENT PREPARATION

- Abdomen: Nothing by mouth (NPO) for 6 hours before your appointment.
- · Pelvis: The patient may only drink water (32 ounces).

We need to order special medical isotopes for your type of test. These isotopes are expensive, and usually expire on the same day and can not be used again.

IT IS VERY IMPORTANT THAT YOU RESCHEDULE YOUR APPOINTMENT OR CANCEL BEFORE 4:30 PM THE DAY BEFORE. IF NOT, YOU MAY BE RESPONSIBLE FOR THE COST OF THESE EXPENSIVE MEDICINES.